

Attachment 1: Fish Stocked in the Reservoir

| Stocked (year) | Species | Size | Number |
|-------------------|-----------------|------------|-----------|
| 1951 | channel catfish | fingerling | 2,900 |
| | largemouth bass | fingerling | 10,000 |
| | northern pike | fry | 264,000 |
| | rainbow trout | fingerling | 20,000 |
| | walleye | fry | 660,000 |
| 1952 | channel catfish | fingerling | 1,012 |
| | largemouth bass | adult | 251 |
| | rainbow trout | fingerling | 89,000 |
| | rainbow | fry | 23,400 |
| 1953 | black bullhead | adult | 2,500 |
| | brown trout | fry | 48,000 |
| | rainbow trout | fingerling | 9,000 |
| | walleye | fry | 968,000 |
| | black crappie | adult | 10,000 |
| | bluegill | adult | 2,000 |
| | fathead minnow | adult | 2,500 |
| | largemouth bass | adult | 500 |
| | yellow perch | adult | 5,000 |
| | black bullhead | adult | 2,500 |
| 1954 | northern pike | adult | 140 |
| | rainbow trout | fingerling | 31,760 |
| | walleye | fry | 759,000 |
| 1955 | rainbow trout | fingerling | 9,960 |
| | walleye | fry | 1,232,000 |
| 1956 | northern pike | fry | 35,000 |
| | rainbow trout | fingerling | 9,960 |
| | walleye | fry | 250,000 |
| 1962 | northern pike | fry | 1,065,800 |

| Stocked (year) | Species | Size | Number |
|-------------------|-----------------|------------|-----------|
| 1964 | northern pike | fry | 1,021,000 |
| | walleye | fry | 1,570,000 |
| 1965 | walleye | fingerling | 103,600 |
| 1967 | walleye | fry | 24,080 |
| 1969 | walleye | fingerling | 200,500 |
| 1971 | smallmouth bass | fingerling | 50,000 |
| 1972 | smallmouth bass | fingerling | 85,000 |
| 1978 | spottail shiner | adult | 8,500 |
| | yellow perch | fingerling | 1,500 |
| 1983 | walleye | fingerling | 190,000 |
| 1987 | largemouth bass | fingerling | 40,000 |
| | walleye | fingerling | 250,000 |
| 1988 | largemouth bass | fingerling | 91,300 |
| 1989 | largemouth bass | fingerling | 252,900 |
| 1990 | emerald shiner | adult | 450 |
| | gizzard shad | adult | 310 |
| | walleye | fingerling | 99,764 |
| 1991 | gizzard shad | adult | 15 |
| | walleye | fingerling | 248,280 |
| | largemouth bass | fingerling | 48,000 |
| 1992 | gizzard shad | adult | 300 |
| | walleye | fingerling | 235,000 |
| 1993 | largemouth bass | fingerling | 150,000 |
| | walleye | fingerling | 235,000 |
| 1994 | gizzard shad | adult | 43 |
| | largemouth bass | fingerling | 167,870 |
| 1995 | largemouth bass | fingerling | 100,000 |
| | walleye | fingerling | 204,555 |
| 1996 | largemouth bass | fingerling | 135,387 |
| | walleye | fingerling | 354,070 |
| 1997 | walleye | fingerling | 100,150 |

Attachment 2: Plant Species in the Angostura Area

| Scientific Name | Common Name |
|--------------------------------|------------------------|
| Grasses | |
| <i>Agropyron smithii</i> | western wheatgrass |
| <i>Agropyron cristatum</i> | crested wheatgrass |
| <i>Andropogon scoparius</i> | little bluestem |
| <i>Andropogon gerardii</i> | big bluestem |
| <i>Aristida obliquantha</i> | prairie threeawn |
| <i>Bouteloua gracilis</i> | blue gramma |
| <i>Bouteloua curtipendula</i> | sideoats gramma |
| <i>Bromus inermis</i> | smooth brome |
| <i>Bromus tectorum</i> | cheatgrass brome |
| <i>Bromus japonicus</i> | japanese brome |
| <i>Buchloe dactyloides</i> | buffalograss |
| <i>Danthonia spicata</i> | oatgrass |
| <i>Distichlis spicata</i> | saltgrass |
| <i>Koeleria pyramidalis</i> | junegrass |
| <i>Muhlenbergia</i> spp. | muhley species |
| <i>Oryzopsis</i> spp. | ricegrass species |
| <i>Oryzopsis asperifolia</i> | rough ricegrass |
| <i>Panicum</i> spp. | panic grass |
| <i>Phleum pratense</i> | timothy |
| <i>Poa</i> spp. | bluegrass species |
| <i>Schizachyrium scoparium</i> | little bluestem |
| <i>Sitanion hystrix</i> | squirreltail |
| <i>Sporobolus heterolepis</i> | prairie dropseed |
| <i>Sporobolus cryptandrus</i> | sand dropseed |
| <i>Stipa viridula</i> | green needlegrass |
| <i>Stipa comata</i> | needle and threadgrass |

| Scientific Name | Common Name |
|----------------------------------|------------------------------|
| Grass-Like | |
| <i>Carex heliophila</i> | sandsedge sedge |
| <i>Carex filifolia</i> | threadleaf sedge |
| <i>Equisetum</i> spp. | horsetail species |
| Forbs | |
| <i>Achillea millefolium</i> | western yarrow |
| <i>Allium</i> spp. | onion |
| <i>Ambrosia psilotachya</i> | western ragweed |
| <i>Anemone patens</i> | pasque flower |
| <i>Antennaria neglecta</i> | field pussytoes |
| <i>Apocynum androsaemifolium</i> | dogbane |
| <i>Aralia nudicaulis</i> | sasspirilla |
| <i>Artemisia ludoviciana</i> | Louisiana sagewort |
| <i>Aster</i> spp. | aster species |
| <i>Astragalus</i> spp. | milkvetch species |
| <i>Bidens</i> spp. | beggar's tick |
| <i>Campanula rotundifolia</i> | bluebell |
| <i>Cirsium arvense</i> | Canada thistle |
| <i>Cirsium</i> spp. | thistle species |
| <i>Cynoglossum officinale</i> | hounds tongue |
| <i>Dalea enneandra</i> | bigtop dalea |
| <i>Dodecatheon pulchellum</i> | southern shooting star |
| <i>Echinacea angustifolia</i> | purple coneflower |
| <i>Erigeron</i> spp. | fleabane species |
| <i>Eriogonum</i> spp. | buckwheat species |
| <i>Euphorbia marginata</i> | snow-on-the-mountain species |
| <i>Fragaria virginiana</i> | strawberry |
| <i>Galium</i> spp. | bedstraw species |
| <i>Glycyrrhiza lepidota</i> | American licorice |
| <i>Grindelia squarrosa</i> | curlycup gumweed |
| <i>Gaure coccinea</i> | scarlet gaura |
| <i>Helianthus annuus</i> | common sunflower |
| <i>Lathyrus ochroleucus</i> | sweetpea |
| <i>Leucocrinum montanum</i> | common starlily |

| Scientific Name | Common Name |
|--------------------------------|----------------------------|
| <i>Liatris spp.</i> | gay feather |
| <i>Lygodesmia juncea</i> | rush skeletonplant |
| <i>Maianthemum canadense</i> | wild lily of the valley |
| <i>Melilotus officinalis</i> | yellow sweet clover |
| <i>Monarda fistulosa</i> | horsemint |
| <i>Oenothera caespitosa</i> | stemless evening primrose |
| <i>Oxytropis spp.</i> | crazyweed species |
| <i>Petalostemon purpureum</i> | purple prairie clover |
| <i>Petalostemon candidum</i> | white prairie clover |
| <i>Petalostemon spp.</i> | prairie clover species |
| <i>Phlox hoodii</i> | hoods phlox |
| <i>Plantago spp.</i> | plantain species |
| <i>Potentilla spp.</i> | potentilla species |
| <i>Psoralea spp.</i> | scurfpea species |
| <i>Psoralea tenuiflora</i> | slimflower scurfpea |
| <i>Psoralea esculenta</i> | common breadroot scurfpea |
| <i>Psoralea argophylla</i> | silverleaf scurfpea |
| <i>Ratbida columnifera</i> | upright prairie cornflower |
| <i>Rudbeckia hirta</i> | blackeyed susan |
| <i>Scrophularia lanceolata</i> | figwort |
| <i>Smilacina stellata</i> | false solomon's seal |
| <i>Solidago spp.</i> | goldenrod |
| <i>Sphaeralcea coccinea</i> | scarlet globemallow |
| <i>Stellaria media</i> | chickweed |
| <i>Taraxacum officinale</i> | dandelion |
| <i>Thermopsis rhombifolia</i> | goldenpea |
| <i>Tragopogon dubius</i> | salsify species |
| <i>Trifolium spp.</i> | clover |
| <i>Verascum thapsus</i> | velvet mullen |
| <i>Vicia spp.</i> | vetch species |
| <i>Vilia americana</i> | American vetch |
| <i>Viola spp.</i> | violet species |
| <i>Zigadenus spp.</i> | deathcamus species |

| Scientific Name | Common Name |
|------------------------------------|---------------------------|
| Trees and Shrubs | |
| <i>Amelanchier alnifolia</i> | serviceberry |
| <i>Amorpha canescens</i> | lead plant |
| <i>Arctostaphylos uva-ursi</i> | kinnikinnik |
| <i>Artemisia carruthii</i> | silver sagebrush |
| <i>Artemisia filifolia</i> | sand sagebrush |
| <i>Artemisia frigida</i> | fringed sage |
| <i>Artemisia ludoviciana</i> | Louisiana sagebrush |
| <i>Artemisia</i> spp. | sagebrush species |
| <i>Artemisia tridentata</i> | big sagebrush |
| <i>Atriplex gardneri</i> | nuttall saltbrush |
| <i>Betula papyrifera</i> | birch |
| <i>Chrysothamnus nauseosus</i> | rubber rabbitbrush |
| <i>Crataegus</i> spp. | hawthorn species |
| <i>Eurotia lanata</i> | common winterfat |
| <i>Gutierrezia sarothrae</i> | broom snakeweed |
| <i>Juniperus communis</i> | common juniper |
| <i>Juniperus scopulorum</i> | rocky mountain juniper |
| <i>Opuntia polycantha</i> | plains pricklypear cactus |
| <i>Prunus americana</i> | American plum |
| <i>Prunus virginiana</i> | common chokecherry |
| <i>Rhus trilobata</i> | skunkbush sumac |
| <i>Ribes</i> spp. | gooseberry |
| <i>Rosa woodsii</i> | wild rose |
| <i>Rubus idaeus</i> | red raspberry |
| <i>Salix</i> spp. | willow species |
| <i>Sarcobatus vermiculatus</i> | greasewood species |
| <i>Shepherdia argenta</i> | silver buffaloberry |
| <i>Spiraea betulifolia</i> | wild spiraea |
| <i>Symphoricarpos occidentalis</i> | western snowberry |
| <i>Yucca glauca</i> | small yucca |

Attachment 3: Wildlife Species in the Angostura Area

| Scientific Name | Common Name |
|----------------------------------|----------------------------|
| Mammals | |
| <i>Antilocapra americana</i> | American pronghorn |
| <i>Canis latrans</i> | coyote |
| <i>Castor canadensis</i> | beaver |
| <i>Cynomys ludovicianus</i> | black-tailed prairie dog |
| <i>Dipodomys ordi</i> | Ord's kangaroo rat |
| <i>Erethizon dorsatum</i> | porcupine |
| <i>Felis rufus</i> | bobcat |
| <i>Geomys bursarius</i> | plains pocket gopher |
| <i>Lepus townsendi</i> | white-tailed jackrabbit |
| <i>Mephitis mephitis</i> | striped skunk |
| <i>Microtus ochrogaster</i> | prairie vole |
| <i>Mus musculus</i> | house mouse |
| <i>Mustela nigripes</i> | black-footed ferret |
| <i>Myotis thysanodes</i> | fringe-tailed bat |
| <i>Odocoileus virginianus</i> | white-tailed deer |
| <i>Odocoileus hemionus</i> | mule deer |
| <i>Ondatra zibethica</i> | muskrat |
| <i>Onychomys leucogaster</i> | northern grasshopper mouse |
| <i>Perognathus hispidus</i> | hispid pocket mouse |
| <i>Perognathus fasciatus</i> | Wyoming pocket mouse |
| <i>Peromyscus maniculatus</i> | deer mouse |
| <i>Plecotus townsendi</i> | Townsend's big-ear bat |
| <i>Procyon lotor</i> | raccoon |
| <i>Rattus norvegicus</i> | Norway rat |
| <i>Reithrodontomys megalotis</i> | western harvest mouse |
| <i>Sorex nanus</i> | least shrew |

| Scientific Name | Common Name |
|--------------------------------------|--------------------------------|
| Mammals (continued) | |
| <i>Spermophilus tridecemlineatus</i> | thirteen-lined ground squirrel |
| <i>Spilogale putorius</i> | plains spotted skunk |
| <i>Sylvilagus species</i> | cottontail |
| <i>Taxidea taxus</i> | American badger |
| <i>Vulpes velox</i> | swift fox |
| <i>Vulpes vulpes</i> | red fox |
| Birds | |
| <i>Accipiter gentilis</i> | northern goshawk |
| <i>Accipiter cooperii</i> | copper's hawk |
| <i>Accipiter striatus</i> | sharp-shinned hawk |
| <i>Actitis macularia</i> | spotted sandpiper |
| <i>Aechmophorus occidentalis</i> | western grebe |
| <i>Aechmophorus occidentalis</i> | red-winged blackbird |
| <i>Ammodramus savannarum</i> | grasshopper sparrow |
| <i>Ammodramus bairdii</i> | Baird's sparrow |
| <i>Anas discors</i> | blue-winged teal |
| <i>Anas cyanoptera</i> | cinnamon teal |
| <i>Anas platyrhynchos</i> | mallard |
| <i>Anas americana</i> | American widgeon |
| <i>Anas acuta</i> | northern pintail |
| <i>Anas strepera</i> | gadwall |
| <i>Anas clypeata</i> | northern shoveler |
| <i>Anas crecca</i> | green-winged teal |
| <i>Anthus spinoletta</i> | water pipit |
| <i>Aquila chrysaetos</i> | golden eagle |
| <i>Ardea herodias</i> | great-blue heron |
| <i>Asio flammeus</i> | short-eared owl |
| <i>Athene cunicularia</i> | burrowing owl |

| Scientific Name | Common Name |
|----------------------------------|----------------------------|
| Birds (continued) | |
| <i>Aythya americana</i> | redhead |
| <i>Aythya Valisineria</i> | canvasback |
| <i>Bartramia longicauda</i> | upland sandpiper |
| <i>Botaurus lentiginosus</i> | American bittern |
| <i>Branta canadensis</i> | Canada goose |
| <i>Bubo virginianus</i> | great horned owl |
| <i>Buteo jamaicensis</i> | red-tailed hawk |
| <i>Buteo regalis</i> | ferruginous hawk |
| <i>Buteo lagopus</i> | rough-legged hawk |
| <i>Buteo lineatus</i> | red-shouldered hawk |
| <i>Buteo swainsoni</i> | swainson's hawk |
| <i>Calamospiza melanocorys</i> | lark bunting |
| <i>Calcarius ornatus</i> | chestnut-collared larkspur |
| <i>Carduelis tristis</i> | American goldfinch |
| <i>Cathartes aura</i> | turkey vulture |
| <i>Centrocercus urophasianus</i> | sage grouse |
| <i>Charadrius montanus</i> | mountain plover |
| <i>Charadrius vociferus</i> | killdeer |
| <i>Chlidonias niger</i> | black tern |
| <i>Chondestes grammacus</i> | lark sparrow |
| <i>Chordeiles minor</i> | nighthawk |
| <i>Circus cyaneus</i> | northern harrier |
| <i>Coccyzus americanus</i> | yellow-billed cuckoo |
| <i>Coccyzus erythrophthalmus</i> | black-billed cuckoo |
| <i>Colaptes auratus</i> | northern flicker |
| <i>Columba livia</i> | rock dove |
| <i>Corvus brachyrhynchos</i> | American crow |
| <i>Cygnus buccinator</i> | trumpeter swan |
| <i>Dendroica petechia</i> | yellow warbler |

| Scientific Name | Common Name |
|----------------------------------|----------------------|
| Birds (continued) | |
| <i>Eremophila alpestris</i> | horned lark |
| <i>Falco sparverius</i> | American kestrel |
| <i>Falco columbarius</i> | merlin |
| <i>Falco mexicanus</i> | prairie falcon |
| <i>Falco peregrinus</i> | peregrine falcon |
| <i>Fulica americana</i> | American coot |
| <i>Geothlypis trichas</i> | common yellowthroat |
| <i>Grus canadensis</i> | sandhill crane |
| <i>Haliaeetus leucocephalus</i> | bald eagle |
| <i>Hirundo pyrrhonota</i> | cliff swallow |
| <i>Hirundo rustica</i> | barn swallow |
| <i>Icterus spurius</i> | orchard oriole |
| <i>Icterus galbula</i> | bullock's oriole |
| <i>Lanius ludovicianus</i> | loggerhead shrike |
| <i>Larus delawarensis</i> | ring-billed gull |
| <i>Lophodytes cucullatus</i> | hooded merganser |
| <i>Meleagris gallopavo</i> | wild turkey |
| <i>Mergus merganser</i> | common merganser |
| <i>Molothrus ater</i> | brown-headed cowbird |
| <i>Numenius americanus</i> | long-billed curlew |
| <i>Oreoscoptes montanus</i> | sage thrasher |
| <i>Oxyura jamaicensis</i> | ruddy duck |
| <i>Pandion haliaetus</i> | osprey |
| <i>Passer domesticus</i> | house sparrow |
| <i>Passerculus sandwichensis</i> | savannah sparrow |
| <i>Phalaropus tricolor</i> | wilson's phalarope |
| <i>Phasianus colchicus</i> | ring-necked pheasant |
| <i>Pica pica</i> | black-billed magpie |
| <i>Pipilo erythrophthalmus</i> | rufous-sided towhee |

| Scientific Name | Common Name |
|--------------------------------------|----------------------------|
| Birds (continued) | |
| <i>Podiceps nigricollis</i> | eared grebe |
| <i>Podilymbus podiceps</i> | pied-billed grebe |
| <i>Pooecetes gramineus</i> | vesper sparrow |
| <i>Quiscalus quiscula</i> | common grackle |
| <i>Recurvirostra americana</i> | American avocet |
| <i>Salpinctes obsoletus</i> | rock wren |
| <i>Sayornis saya</i> | say's phoebe |
| <i>Sialia currucoides</i> | mountain bluebird |
| <i>Spizella breweri</i> | brewer's sparrow |
| <i>Stelgidopteryx serripennis</i> | north rough-winged swallow |
| <i>Sterna hirundo</i> | common tern |
| <i>Sterna antillarum</i> | least tern |
| <i>Sturnella neglecta</i> | western meadowlark |
| <i>Sturnus vulgaris</i> | European starling |
| <i>Tosostoma rufuma</i> | brown thrasher |
| <i>Troglodytes edon</i> | house wren |
| <i>Turdus vertic migratorius</i> | robin |
| <i>Tympanuchus phasianellus</i> | sharp-tailed grouse |
| <i>Tyrannus alis</i> | western kingbird |
| <i>Tyrannus tyrannus</i> | eastern kingbird |
| <i>Tyto alba</i> | barn owl |
| <i>Xanthocephalus xanthocephalus</i> | yellow-headed balckbird |
| <i>Zenaida macroura</i> | mourning dove |
| Reptiles and Amphibians | |
| <i>Ambystoma tigrinum</i> | blotched tiger salamander |
| <i>Bufo woodhousii</i> | Woodhouse's toad |
| <i>Lampropeltis triangulum</i> | pale milk snake |
| <i>Rana pipiens</i> | northern leopard frog |
| <i>Trionys spiniferus</i> | spiny-softshell turtle |

ATTACHMENT 4:

LIST OF PREPARERS

These people are responsible for the EIS.

Kenneth Parr *Natural Resources Specialist*
BS, Wildlife Science, Utah State University.
Kenneth worked for BIA for 12 years before joining Reclamation 7 years ago. He was team leader, wrote the “Wildlife” section, and helped with other sections.

Gerald Heiser, *Natural Resources Specialist*
BS, Wildlife Management, North Dakota State University. Jerry has worked for the government for 15 years. He wrote the “Threatened and Endangered Species” and “Wetlands” sections and helped with other sections.

Mike Armbruster, *Ecologist*
BS, MS, Ph.D, Wildlife Management, University of Missouri. Mike has worked for Reclamation for 10 years. He wrote the “Stream Corridor” section and helped with other sections of the EIS.

Rich Barrios, *Repayment Specialist*
Rich has worked for the government for 29 years. He wrote the sections of the EIS dealing with the water service contract and BON and helped with other sections.

Conrad Jordheim, *Hydrologist*
AA, Engineering Technology, North Dakota School of Science. Conrad has worked for Reclamation for 29 years. He wrote the “Surface Water Quantity,” “Sediment,” and “Groundwater” sections of the EIS and helped with other sections.

John Boehmke, *Environmental Specialist*
BS, Mechanical Engineering, BA, Biology, State University of New York at Buffalo; MA,

Zoology, University of Northern Colorado. John has worked for Reclamation for 25 years. He was responsible for NEPA compliance and helped write the “Threatened or Endangered Species” and other sections of the EIS.

James Yahnke, *Hydrologist*
BS, Biology, West Liberty State College; graduate work in aquatic ecology, limnology, and aqueous geochemistry, West Virginia University. Jim has worked for Reclamation for 29 years. He wrote the “Surface Water Quality,” “Sediment,” and “Groundwater” sections of the EIS and helped with other sections.

Gray Harris, *Technical Writer/Editor*
BA English, Seattle University; MA English, Wayne State University. Gray worked for BIA and BLM before joining Reclamation 19 years ago. He wrote sections of the EIS, edited it, laid it out, and supervised the printing.

James Kangas, *Archeologist*
BA, MA Anthropology, Western Washington University. Jim worked for the NPS and USFS before joining Reclamation 5 years ago. He wrote the “Cultural Resources” and “Paleontological Resources” sections and helped with other sections of the EIS.

Kimball Banks, *Native American Affairs Specialist* Ph.D. Kimball has worked for Reclamation since 1989, after working for BIA. He wrote the “Indian Trust Assets” and “Environmental Justice” sections of the EIS and helped with other sections.

Curt Anderson, *Civil Engineer*

BS, Civil Engineering, University of Nebraska; PE State of South Dakota. Curt has worked for Reclamation for 21 years. He helped write the “Surface Water Quantity,” “Sediment,” and “Groundwater” and other sections.

Chuck Borda, *Economist*

BA, MA, Resource Economics, Colorado State University. Chuck has worked for Reclamation for 13 years. He wrote the “Social and Economics” section of the EIS.

Steve Piper, *Economist*

BA, MA, Colorado State University; Ph.D, Resource Economics, Colorado School of Mines. Steve has worked for Reclamation for 11 years. He worked on the regional economic impact analysis for the “Social and Economics” section of the EIS.

Rick Nelson, *Chief, Resource Management Division*

BS and MA, Biology, Bemidji State University; Ph.D Zoology, North Dakota State University. Rick represented the Area Leadership Team on the EIS.

Kathy Davies, *Computer Specialist*

Kathy provided the drawings in the EIS. She has been with Reclamation for 9 years.

Jerry Leggate, *Regional Visual Information Specialist*

Jerry has worked for Reclamation for 14 years. He designed the covers for the EIS and the appendices.

Dan Driscoll, *Supervisory Hydrologist, USGS*

BS and MS, Civil Engineering, South Dakota School of Mines and Technology. Dan has worked for USGS for 12 years. He helped with the “Surface Water Quantity” section of the EIS.

Joyce Williamson, *Supervisory Hydrologist, USGS*

BS Computer Science; MS Civil Engineering, South Dakota School of Mines and Technology. Having worked for USGS for 11 years, Joyce helped with the “Surface Water Quality” section.

Patsy Chamrad, *Computer Specialist*

BS Biology, Angelo State University. Patsy developed the GIS maps for the EIS. She has been with Reclamation for 13 years.

Mark Huff, *SCEP Student* Mark proofed tables and text in the EIS.